This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



Matter No.: 14225-022001 Page Applicant(s): Noriyasu Sakai et al. METHOD FOR MANUFACTURING CIRCUIT DEVICES

Page 1 of 12

1/12

FIG.1A




FIG.1B




FIG.2




FIG.3A





FIG.3B



Page 3 of 12

Matter No.: 14225-022001 Page 3 Applicant(s): Noriyasu Sakai et al. METHOD FOR MANUFACTURING CIRCUIT DEVICES

FIG.4




FIG.5A




FIG.5B





FIG.6A






FIG.7A




FIG.7B




FIG.8




FIG.9




FIG.10A




FIG.10B




FIG.10C






FIG.11A





Page 11 of 12

Matter No.: 14225-022001
Applicant(s): Noriyasu Sakai et al.
METHOD FOR MANUFACTURING CIRCUIT DEVICES

11/12

FIG.12A




FIG.12B




FIG.12C




FIG.13A




FIG.13B




FIG.13C

